

2008



GUARNIZIONI STANDARD PER SERRAMENTI IN ALLUMINIO


**STANDARD SEALS
FOR ALUMINIUM DOORS AND WINDOWS**

**JOINTS POUR L'ETANCHEITE
DES FENETRES ET PORTES EN ALUMINIUM**

**STANDARD-DICHTUNGEN
FÜR ALU-TÜREN UND -FENSTER**

JUNTAS PARA VENTANAS DE ALUMINIO

pensato e
prodotto
in Italia



BMP

ΓΙΑ ΚΟΥΦΩΜΑΤΑ ΑΛΟΥΜΙΝΙΟΥ / FOR ALUMINIUM FRAMES

ΤΑ ΥΛΙΚΑ ΜΑΣ

Όλα τα προϊόντα που χρησιμοποιούμε στην παραγωγή είναι επιλεγμένα και δοκιμασμένα στο χημικό μας εργαστήριο. Συγκεκριμένα, τα περισσότερα υλικά με βάση το PVC είναι ειδικά μελετημένα από εμάς και επίσης παράγονται στα εργοστάσιά μας.

Ο κοινός τους παρονομαστής είναι η εξαιρετικά υψηλή αντοχή στην παλαίωση που εξασφαλίζει ότι τα αρχικά γνωρίσματα των εξελασμένων συστατικών παραμένουν αναλλοίωτα σε βάθος χρόνου. Ιδιαίτερη προσοχή έχει δοθεί στην ανάπτυξη και παραγωγή ειδικών υλικών που να ικανοποιούν τους ισχύοντες ιταλικούς κι ευρωπαϊκούς κανόνες για διαφορετικές εφαρμογές.

Η BMP διαθέτει άριστα εκπαιδευμένους τεχνικούς έτοιμους να βοηθήσουν τους πελάτες με το σχεδιασμό, τον καθορισμό των πλέον κατάλληλων υλικών, τη μελέτη για το ιδανικό ταίριασμα των χρωμάτων και την παραγωγή των εξαρτημάτων για την εξέλαση.

Όλα τα προϊόντα της BMP είναι πιστοποιημένα κατά ISO 9001 και πληρούν τις προϋποθέσεις του ευρωπαϊκού κανονισμού EN 12365.

ESAFLEX

Σειρά εύκαμπτων υλικών με βάση το PVC (πολυβινυλοχλωρίδιο) και συντομογραφία «F». Έχει αναπτυχθεί σύμφωνα με τις διαφορετικές βαθμίδες σκληρότητας της κλίμακας Shore A και πληρεί τις προϋποθέσεις για διάφορες εφαρμογές. Η ευρεία και δοκιμασμένη αυτή σειρά πληρεί τον κανονισμό UNI 9122.

ESAFLEX HC85

Αυτός ο τύπος υλικού είναι ειδικά σχεδιασμένος από την εταιρεία μας για την παραγωγή λαμπερών προφίλ που μπαίνουν γύρω από πάνελ.

Μπορεί να εφαρμοστεί γύρω από πάνελ με διαφορετικές ακτίνες και αντιστέκεται στην παλαίωση για περισσότερο από 10 έτη χωρίς σημαντικές αλλαγές στα φυσικά και μηχανικά του χαρακτηριστικά. Ως υλικό μπορεί να συγκολληθεί και να κολληθεί.

ESAFLEX N90

Αυτός ο τύπος υλικού έχει σχεδιαστεί από την εταιρεία μας ειδικά για την παραγωγή προφίλ που μπαίνουν γύρω από πάνελ.

Μπορεί να τοποθετηθεί γύρω από πάνελ με διαφορετικές ακτίνες και αντιστέκεται στην παλαίωση για περισσότερο από 10 έτη χωρίς σημαντικές αλλαγές στα φυσικά και μηχανικά του χαρακτηριστικά. Ως υλικό μπορεί να συγκολληθεί και να κολληθεί.

ESADUR

Σειρά άκαμπτων υλικών με βάση το PVC (πολυβινυλοχλωρίδιο) και συντομογραφία «R». Διαφέρουν από τα άλλα ως προς την αντοχή τους σε χτυπήματα. Είναι άφλεκτα, ανθεκτικά σε οξέα, με μικρή θερμική διαστολή και χαμηλούς συντελεστές θερμικής αγωγιμότητας.

DURFLEX

Σειρά συνεξελασμένων προϊόντων με συντομογραφία το «C», που προέρχονται από μία ταυτόχρονη εξέλαση δύο πλαστικών υλικών (ESADUR+ ESAFLEX) με διαφορετικά γνωρίσματα σκληρότητας κι ευκαμψίας. Η υψηλή ποιότητα των προϊόντων αυτών επιτρέπει διαφορετικές λύσεις σε διάφορες εφαρμογές.

ELAPRENE

Σειρά προϊόντων με συντομογραφία «EL», που προέρχονται από θερμοπλαστικό και θερμοσκληρυνόμενο ελαστομερές. Μπορούν να είναι μονοεξελασμένα ή συνεξελασμένα και πληρούν τον κανονισμό UNI 9122. Αντέχουν τέλεια υπό ακραίες συνθήκες θερμοκρασίας (από -30°C έως +85°C). Το κύριο χαρακτηριστικό τους είναι η ιδιαίτερα υψηλή ελαστική επαναφορά, καθότι λάστιχα, όπως επιβεβαιώνεται και στη δοκιμή Συμπίεσης. Τα Elaprene ενδείκνυνται επίσης και για χρήσεις με υδατοδιαλυτές βαφές.



1. Προσδιορισμός φορτίου Θραύσης UNI 5819.
2. Προσδιορισμός ποσοστιαίας επιμήκυνσης πριν τη Θραύση UNI 5819.
3. Προσδιορισμός σκληρότητας UNI4916.
4. Διακύμανση βάρους ASTMD 471.
5. Διακύμανση όγκου BMP/Labs.
6. Μπλοκάρισμα BMP/Labs.

Δοκιμή Μπλοκαρίσματος

Προκειμένου να δοκιμαστεί η πραγματική επίδραση ενός συστήματος βαφής σε ένα παρέμβυσμα, κρίνεται σκόπιμο να αξιολογηθεί -πέρα από την όποια τροποποίηση των μηχανικών γνωρισμάτων- και η όποια μεταβολή στη λειτουργικότητα του παρεμβύσματος.

Υπό ορισμένες συνθήκες χρόνου και θερμοκρασίας, μπορεί να παρατηρηθούν φαινόμενα κολλήματος μεταξύ του παρεμβύσματος και του φύλλου του κουφώματος. Το φαινόμενο αυτό είναι γνωστό ως Μπλοκάρισμα.

Η BMP έχει αναπτύξει τη δική της μέθοδο για την ανάλυση του Μπλοκαρίσματος, λαμβάνοντας υπόψη ως βασικές παραμέτρους το «χρόνο», τη «θερμοκρασία» και την «πίεση της επαφής».

Μέθοδος δοκιμής Μπλοκαρίσματος

Ένα δείγμα επίπεδου παρεμβύσματος πιέζεται ανάμεσα σε δύο κομμάτια ξύλου βαμμένα με βαφή αραιωμένη με νερό.

Ένα βάρος 150 grams/cm² τοποθετείται στο επάνω μέρος.

Όλο μαζί μπαίνει στο φούρνο για 168 ώρες στους +80°C.

Κατα τη δοκιμή δεν παρατηρείται καθόλου κόλλημα μεταξύ του παρεμβύσματος και του κουφώματος που είναι βαμμένο με βαφή αραιωμένη με νερό.

ELAPRENE 64

Το υλικό αυτό είναι ένα πολυολεφινικό παράγωγο κι ανήκει στην κατηγορία των θερμοπλαστικών υλικών. Ως υλικό συγκολλάται εύκολα και εκτιμάται από τους κατασκευαστές κουφωμάτων PVC αφού η συγκόλληση γίνεται στην ίδια θερμοκρασία με αυτήν του άκαμπτου προφίλ που αποτελεί το κούφωμα. Ωστόσο, πρέπει να ληφθεί υπόψη ότι το υλικό δεν μπορεί να κολληθεί.

Η επιλογή αυτού του μίγματος είναι προτιμητέα όταν οι συνθήκες χρήσης είναι ακραίες αφού η εφαρμογή είναι σίγουρη από τους -40 °C ως τους +130 °C.

Είναι το απόλυτα ιδανικό υλικό για να χρησιμοποιηθεί με κουφώματα λακαρισμένα με βαφή αραιωμένη με νερό, καθώς δεν προκύπτουν ποτέ προβλήματα μπλοκαρίσματος.

EPDM Va.Le gruppo BMP

Σειρά προϊόντων από βουλκανισμένο ελαστικό EPDM, με συντομογραφία «DU» και «CS» (διεσταλμένο EPDM). Προσφέρουν άριστα φυσικά και μηχανικά χαρακτηριστικά, ώστε να εξασφαλίζουν μέγιστα αποτελέσματα σε ότι αφορά τις προδιαγραφές του κανονισμού UNI 9122. Έχουν τέλεια αντοχή στην οξείδωση, τις υπέρυθρες ακτίνες UV, και τους ατμοσφαιρικούς παράγοντες γενικά. Η κορυφαία μαλακότητα του διεσταλμένου υλικού επιτρέπει μέγιστη προσαρμοστικότητα στη σύνδεση.

SILENE

Η σειρά προϊόντων από ελαστικό σιλικόνης με συντομογραφία «SI», πληρεί τον κανονισμό UNI 9122. Το υλικό αυτό θεωρείται κορυφή σε ότι αφορά τις επιδόσεις. Επιδεικνύει υψηλή ελαστική επαναφορά, υψηλή αντοχή σε ατμοσφαιρικούς παράγοντες, κι εξασφαλίζει υψηλή λειτουργικότητα σε ακραίες θερμοκρασίες (από -40°C έως +100°C). Τα Silene επίσης ενδείκνυνται για εφαρμογές σε επαφή με δομικά σφραγίσματα σιλικόνης.

ESANYL

Σειρά υλικών με συντομογραφία «N», βασισμένα σε πολυαμίδη 6,6 και ενισχυμένα με fibre glass ώστε να είναι κατάλληλα για την παραγωγή προφίλ θερμικής κοπής και για μηχανισμούς κλειδώματος κουφωμάτων αλουμινίου. Παρουσιάζει άριστα θερμο-μηχανικά χαρακτηριστικά και κάνει εφικτή την παραγωγή προφίλ με στενές ανοχές διαστάσεων.

Σημ. Τα παρεμβύσματα είναι ταξινομημένα σε πίνακες βάσει του κουφώματος όπου μπορούν να εφαρμοσθούν.

ΟΔΗΓΟΣ ΚΑΤΑΛΟΓΟΥ:

- A. Παρέμβυσμα υάλωσης
- B. Παρέμβυσμα κεντρικής στεγάνωσης
- C. Παρέμβυσμα εσωτερικής στεγάνωσης
- D. Βουλκανισμένη γωνία.

DU Παρεμβύσματα από EPDM σύμφωνα με τον κανονισμό UNI 9122

EL Παρεμβύσματα από ELAPRENE σύμφωνα με τον κανονισμό UNI 9122/A

C Παρεμβύσματα συνεξελασμένα από PVC

F Παρεμβύσματα εύκαμπτα από PVC σύμφωνα με τον κανονισμό UNI 9122

R Προφίλ άκαμπτα από PVC

Νέες Σειρές**ΣΦΗΝΑ DH σε EPDM**

κατάλληλη & για εξωτερική χρήση

ΣΦΗΝΑ F σε PVC

συμφέρουσα και πολυχρονική

- › εύκαμπτα προϊόντα
- › τοποθετούνται ταχύτατα
- › άριστο κράτημα

	F	F	F	F	F	F	F	F
ΣΕΙΡΑ DH	DH 812	DH 813	DH 814	DH 815	DU 86	DH 817	DH 818	DH 810
ΣΕΙΡΑ F200	F202	F203	F204	F205	F206	F207	F208	F210
	2 mm	3 mm	4 mm	5 mm	6 mm	7 mm	8 mm	10 mm

- › άριστες επιδόσεις
- χάρη στην υψηλή
- ποιότητα των προϊόντων



εγγύηση BMP
εμπιστεύετε
τους πρωτόπορους

EFFEPI

Σφήνες EPDM για γρήγορη
τοποθέτηση & άριστη στεγανότητα

Τοποθέτηση στις 45° (μοίρες)
χωρίς κόψιμο & χρήση κόλλας

Ευκολία στην τοποθέτηση
χάρη στο αποκλειστικό
εργαλείο FPA

Άριστο κράτημα
& άριστη στεγανότητα

Καλύτερο αισθητικό
αποτέλεσμα



gruppo **BMP**

ΕFFFΕΡΙ


Κερδίστε χρόνο τοποθέτησης και εγγύηση στεγανότητας

- Οι χρόνοι τοποθέτησης μειώνονται σημαντικά χάρη στην χρήση του εργαλείου FPA, το οποίο έχει μελετηθεί ειδικά για την τοποθέτηση των σφηνών
- Το τελικό αισθητικό αποτέλεσμα είναι άριστο καθώς:
 - ▶ Δεν κόβουμε το ελαστικό σε 45° (μοίρες) στις γωνίες του κουφώματος
 - ▶ Δεν χρησιμοποιούμε κόλλα στις γωνίες του κουφώματος με κίνδυνο να ξεκολλήσει ή να μην εφαρμόσει σωστά το ελαστικό.
- Πετυχαίνουμε άριστο κράτημα και άριστη στεγανότητα από αέρα και νερό.

ΟΙ ΚΩΔΙΚΟΙ ΤΗΣ ΣΕΙΡΑΣ

	κωδικός	εφαρμογή	συσκευασία
	FP 23	για χώρο 2,5 - 3mm	200m
	FP 45	για χώρο 4-5mm	200m
	FP 67	για χώρο 6-7mm	150m
	FPA	εργαλείο για τοποθέτηση κάθε τύπου σφήνας	10τμχ

ΣΥΣΤΗΜΑ ΤΟΠΟΘΕΤΗΣΗΣ



- 1 Ξεκινάμε την τοποθέτηση του ελαστικού απ' το κέντρο της ψηλότερης πλευράς του κουφώματος.
- 2 Πιέζουμε το ελαστικό στις 4 γωνίες χρησιμοποιώντας την κατάλληλη μυτερή πλευρά του εργαλείου FPA.
- 3 Πιέζουμε το ελαστικό στις 4 πλευρές ξεκινώντας από το κέντρο κάθε πλευράς και χρησιμοποιώντας το κυλινδρικό κομμάτι του εργαλείου FPA.
- 4 Ενώνουμε τα δύο άκρα του ελαστικού χρησιμοποιώντας την κυανοακρυλική κόλλα.

Υ.Γ. Το μήκος του ελαστικού πρέπει να είναι 2-3% μεγαλύτερο της περιμέτρου του κουφώματος.

gruppo **BMP**

BMP Πλαστικά Ελλάδος Α.Ε.

Βιομηχανία Παραγωγής Ελαστικών Παρεμβυσμάτων
ΒΙ.ΠΕ. Σερρών Τ.Κ. 621 10
Τηλ.: +30 23210 77088
FAX: +30 23210 77089
e-mail: bmpgr@otenet.gr



Bertelli Materie Plastiche S.p.A.


via Biella 26
20025 Legnano (MI) - Italy
tel. +39 0331 57391 - fax +39 0331 453890
e-mail: ced@bmp.it

divisione VA.LE estrusi in gomma e stampati
via Molinello 99

21048 Solbiate Arno (VA) - Italy
tel. +39 0331 98671 - fax +39 0331 992230
e-mail: vale@bmp.it

www.bmp.it

GLAZING GASKETS



- A** glazing gasket
- B** central beating gasket
- C** inside beating gasket

GLAZING GASKETS DU Series

LEGEND

- DU** seals in EPDM in conformity with the UNI 9122 regulation
- EL** seals in ELAPRENE in conformity with the UNI 9122/A regulation
- C** coextruded seals in PVC
- F** flexible seals in PVC in conformity with the UNI 9122 regulation
- R** rigid profiles in PVC

*in stock

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	ARTICLE: DU 12* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 600 m
	ARTICLE: DU 13* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 400 m
	ARTICLE: DU 14* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 300 m
	ARTICLE: DU 15* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 200 m
	ARTICLE: DU 16* WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 150 m
	ARTICLE: DU 17* WORKING FIELD: 7 mm PACKAGE: Rolls in boxes 120 m

GLAZING GASKETS DU Series

section	product specification
	ARTICLE: DU 20* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 200 m
	ARTICLE: DU 34* WORKING FIELD: 3 ÷ 4 mm PACKAGE: Rolls in boxes 200 m
	ARTICLE: DU 56* WORKING FIELD: 5 ÷ 6 mm PACKAGE: Rolls in boxes 100 m
	ARTICLE: DU 78* WORKING FIELD: 7 ÷ 8 mm PACKAGE: Rolls in boxes 100 m
	ARTICLE: DU 90* WORKING FIELD: 9 mm PACKAGE: Rolls in boxes 80 m
	ARTICLE: DU 152* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 200 m
	ARTICLE: DU 153* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 200 m

• thickness from 0,7 mm to 3,5 mm

GLAZING GASKETS DU Series

section	product specification
	ARTICLE: DU 154* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m
	ARTICLE: DU 155* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 150 m
	ARTICLE: DU 156* WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 150 m
	ARTICLE: EL 15* WORKING FIELD: 1 mm PACKAGE: Rolls in boxes 200 m

GLAZING GASKETS F200 Series

LEGEND

D seals in EPDM in conformity with the UNI 9122 regulation

E seals in ELAPRENE in conformity with the UNI 9122/A regulation

C coextruded seals in PVC

F flexible seals in PVC in conformity with the UNI 9122 regulation

R rigid profiles in PVC

*in stock

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	ARTICLE: F 202* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 1000 m
	ARTICLE: F 203* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 600 m
	ARTICLE: F 204* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 500 m
	ARTICLE: F 205* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 360 m
	ARTICLE: F 206* WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 250 m
	ARTICLE: F 207* WORKING FIELD: 7 mm PACKAGE: Rolls in boxes 200 m

GLAZING GASKETS F200 Series

section	product specification
	ARTICLE: F 208* WORKING FIELD: 8 mm PACKAGE: Rolls in boxes 160 m
	ARTICLE: F 210* WORKING FIELD: 10 mm PACKAGE: Rolls in boxes 140 m
	ARTICLE: C 594* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 400 m
	ARTICLE: EL 15* WORKING FIELD: 1 mm PACKAGE: Rolls in boxes 200 m

TRANSPARENT GLAZING GASKETS

F300 Series

LEGEND

D seals in EPDM in conformity with the UNI 9122 regulation

E seals in ELAPRENE in conformity with the UNI 9122/A regulation

C coextruded seals in PVC

F flexible seals in PVC in conformity with the UNI 9122 regulation

R rigid profiles in PVC

*in stock

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	ARTICLE: F 302* WORKING FIELD: 2 mm COLOURS: Transparent PACKAGE: Rolls in boxes 500 m
	ARTICLE: F 303* WORKING FIELD: 3 mm COLOURS: Transparent PACKAGE: Rolls in boxes 360 m
	ARTICLE: F 304* WORKING FIELD: 4 mm COLOURS: Transparent PACKAGE: Rolls in boxes 250 m
	ARTICLE: F 305* WORKING FIELD: 5 mm COLOURS: Transparent PACKAGE: Rolls in boxes 200 m
	ARTICLE: F 306* WORKING FIELD: 6 mm COLOURS: Transparent PACKAGE: Rolls in boxes 150 m
	ARTICLE: F 307* WORKING FIELD: 7 mm COLOURS: Transparent PACKAGE: Rolls in boxes 100 m

TRANSPARENT GLAZING GASKETS

F300 Series

section	product specification
	<p>ARTICLE: F 308* WORKING FIELD: 8 mm COLOURS: Transparent PACKAGE: Rolls in boxes 100 m</p> <p>NEW</p>
	<p>ARTICLE: F 310* WORKING FIELD: 10 mm COLOURS: Transparent PACKAGE: Rolls in boxes 80 m</p> <p>NEW</p>

GLAZING GASKETS F1500 Series

for wood-aluminium frames - brown colour

LEGEND

DU seals in EPDM in conformity with the UNI 9122 regulation

EL seals in ELAPRENE in conformity with the UNI 9122/A regulation

C coextruded seals in PVC

F flexible seals in PVC in conformity with the UNI 9122 regulation

R rigid profiles in PVC

*in stock

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	ARTICLE: F 1503* WORKING FIELD: 3 mm COLOURS: Brown PACKAGE: Rolls in boxes 250 m
	ARTICLE: F 1504* WORKING FIELD: 4 mm COLOURS: Brown PACKAGE: Rolls in boxes 200 m
	ARTICLE: F 1505* WORKING FIELD: 5 mm COLOURS: Brown PACKAGE: Rolls in boxes 150 m
	ARTICLE: F 1506* WORKING FIELD: 6 mm COLOURS: Brown PACKAGE: Rolls in boxes 140 m
	ARTICLE: F 1508* WORKING FIELD: 8 mm COLOURS: Brown PACKAGE: Rolls in boxes 90 m

EFFEPI

EPDM precut gasket




*in stock

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	ARTICLE: FP 23* WORKING FIELD: 2.5 ÷ 3 mm PACKAGE: Rolls in boxes 200 m
	ARTICLE: FP 45* WORKING FIELD: 4 ÷ 5 mm PACKAGE: Rolls in boxes 200 m
	ARTICLE: FP 67* WORKING FIELD: 6 ÷ 7 mm PACKAGE: Rolls in boxes 150 m
	ARTICLE: FPA* - Tool for gasket application PACKAGE: 10 pieces

ALCAN



- A** glazing gasket
- B** central beating gasket
- C** inside beating gasket
- D** vulcanized angle

ALCAN

LEGEND

DU seals in EPDM in conformity with the UNI 9122 regulation

EL seals in ELAPRENE in conformity with the UNI 9122/A regulation


C coextruded seals in PVC

F flexible seals in PVC in conformity with the UNI 9122 regulation

R rigid profiles in PVC

*in stock


ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	SERIES: GREEN ARTICLE: DU 800* PACKAGE: Kinks in boxes 120 m
	SERIES: GREEN ARTICLE: DU 2006* - Angle for DU 800 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 1320 pieces
	SERIES: GREEN ARTICLE: DU 805 PACKAGE: Rolls in boxes 300 m
	SERIES: GREEN ARTICLE: C 825* PACKAGE: Rolls in boxes 600 m
	ARTICLE: EL 10* PACKAGE: Rolls in boxes 600 m
	SERIES: GREEN ARTICLE: DU 210* PACKAGE: Rolls in boxes 300 m
	ARTICLE: DU 810 WORKING FIELD: 3.5 mm PACKAGE: Rolls in boxes 200 m

ALCAN

section	product specification	
	SERIES: GREEN ARTICLE: DU 152* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 200 m	
	SERIES: GREEN ARTICLE: DU 153* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 200 m	
	SERIES: GREEN ARTICLE: DU 154* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m	
	SERIES: GREEN ARTICLE: DU 155* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 150 m	
	SERIES: GREEN ARTICLE: DU 156* WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 150 m	
	SERIES: GREEN ARTICLE: R 2205* PACKAGE: Boxes of 100 bars 3000 mm	


ALCOA







- A** glazing gasket
- B** central beating gasket
- C** inside beating gasket
- D** vulcanized angle

ALCOA

LEGEND**DU** seals in EPDM in conformity with the UNI 9122 regulation**EL** seals in ELAPRENE in conformity with the UNI 9122/A regulation**C** coextruded seals in PVC**F** flexible seals in PVC in conformity with the UNI 9122 regulation**R** rigid profiles in PVC***in stock****ATTENTION:** according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	SERIES: R 40 - R 50 ARTICLE: DU 200* PACKAGE: Kinks in boxes 150 m
	SERIES: R 40 - R 50 ARTICLE: DU 2005* - Angle for DU 200 DIMENSIONS: 60 x 60 mm PACKAGE: Small boxes of 1500 pieces
	SERIES: R 40 - R 50 ARTICLE: DU 201* PACKAGE: Kinks in boxes 150 m
	SERIES: R 40 REVAMPING ARTICLE: DU 202* PACKAGE: Kinks in boxes 180 m
	SERIES: R 40 REVAMPING ARTICLE: DU 2058* - Angle for DU 202 DIMENSIONS: 40 x 40 mm PACKAGE: Small boxes of 3360 pieces
	SERIES: R 40 - R 50 ARTICLE: F 894 DU 1095 PACKAGE: Rolls in boxes 200 m Rolls in boxes 150 m

ALCOA

section	product specification
	SERIES: R 40 - R 50 ARTICLE: DU 2012* - Angle for DU 1095 DIMENSIONS: 45 x 45 mm PACKAGE: Small boxes of 1200 pieces
	SERIES: R 60 T.T. ARTICLE: DU 251* PACKAGE: Kinks in boxes 120 m
	SERIES: R 60 T.T. ARTICLE: DU 2018* - Angle for DU 251 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 720 pieces
	SERIES: NEW R 50 T.T.. - R 72 T.T ARTICLE: DU 1303* PACKAGE: Kinks in boxes 150 m
	SERIES: NEW R 50 T.T.. - R 72 T.T ARTICLE: DU 2029* - Angle for DU 1303 DIMENSIONS: 55 x 55 mm PACKAGE: Small boxes of 1500 pieces
	SERIES: R 62 T.T. ARTICLE: DU 1553 PACKAGE: Kinks in boxes 150 m
	SERIES: R 40 - R 50 - NEW R 50 T.T. ARTICLE: C 825* EL 10* PACKAGE: Rolls in boxes 600 m Rolls in boxes 600 m

ALCOA

section	product specification
	SERIES: R 40 - R 50 - NEW R 50 T.T. ARTICLE: DU 210* PACKAGE: Rolls in boxes 300 m
	SERIES: R 40 - R 50 ARTICLE: CS 3013* PACKAGE: Rolls in boxes 300 m
	SERIES: R ARTICLE: C 2122* WORKING FIELD: 1.5 mm PACKAGE: Rolls in boxes 700 m
	SERIES: R ARTICLE: C 2128* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 500 m
	SERIES: GR ARTICLE: RG 36 - in flexible PVC PACKAGE: Rolls in boxes 600 m
	SERIES: GR ARTICLE: RG 36c* - in coextruded PVC PACKAGE: Rolls in boxes 1000 m
	SERIES: R 40 - R 50 ARTICLE: C 706* PACKAGE: Rolls in boxes 350 m




ALCOA

section	product specification
	SERIES: R 40 - R 50 ARTICLE: C 707* PACKAGE: Rolls in boxes 500 m
	SERIES: R 40 - R 50 - NEW R 50 T.T. ARTICLE: DU 152* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 200 m
	SERIES: R 40 - R 50 - NEW R 50 T.T. ARTICLE: DU 153* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 200 m
	SERIES: R 40 - R 50 - NEW R 50 T.T. ARTICLE: DU 154* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m
	SERIES: R 40 - R 50 - NEW R 50 T.T. ARTICLE: DU 155* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 150 m
	SERIES: R 40 - R 50 - NEW R 50 T.T. ARTICLE: DU 156* WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 150 m
	SERIES: R 40 - R 50 - NEW R 50 T.T. ARTICLE: DU 230* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 150 m

ALCOA

section	product specification
	SERIES: GR ARTICLE: RG 27 - in flexible PVC PACKAGE: Rolls in boxes 500 m
	SERIES: GR ARTICLE: RG 35 - in flexible PVC PACKAGE: Rolls in boxes 400 m
	SERIES: GR ARTICLE: RG 38 - in flexible PVC PACKAGE: Rolls in boxes 600 m
	SERIES: R 50 ARTICLE: DU 231* WORKING FIELD: 2.5 mm PACKAGE: Rolls in boxes 200 m
	SERIES: R 40 - R 50 ARTICLE: C 1727* PACKAGE: Rolls in boxes 400 m
	SERIES: R 40 - R 50 ARTICLE: CS 3034 WORKING FIELD: 2.5 mm PACKAGE: Rolls in boxes 150 m
	SERIES: R 40 - R 50 - GR ARTICLE: RG 44c* - Under door gasket in coextruded PVC PACKAGE: Rolls in boxes 300 m

ALCOA

section	product specification
	SERIES: R 50 T.T. B.C. ARTICLE: DU 2100* - Right and left cap of beating gasket reverse PACKAGE: Boxes of 150 couples
	SERIES: NEW R 50 T.T. ARTICLE: DU 2101* - Cap for NEW R 50 T.T. PACKAGE: Boxes of 150 couples
	SERIES: R 40 REVAMPING ARTICLE: DU 2104 - Cap of beating gasket reverse PACKAGE: Boxes of 150 couples

ALL.CO**D****B****A****C**



- A** glazing gasket
- B** central beating gasket
- C** inside beating gasket
- D** vulcanized angle

ALL.CO**LEGEND**

- DU** seals in EPDM in conformity with the UNI 9122 regulation
EL seals in ELAPRENE in conformity with the UNI 9122/A regulation
C coextruded seals in PVC
F flexible seals in PVC in conformity with the UNI 9122 regulation
R rigid profiles in PVC

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.


*in stock

section	product specification
	<p>SERIES: ALL.CO 5 ARTICLE: DU 600* PACKAGE: Rolls in boxes 150 m</p>
	<p>SERIES: ALL.CO 5 EXPOSURE ARTICLE: DU 620* PACKAGE: Kinks in boxes 180 m</p>
	<p>SERIES: ALL.CO 5 EXPOSURE ARTICLE: DU 2059 - Angle for DU 620 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 2400 pieces</p>
	<p>SERIES: EXPORT 50 T.T. ARTICLE: DU 650* PACKAGE: Kinks in boxes 120 m</p>
	<p>SERIES: EXPORT 50 T.T. ARTICLE: DU 2035 - Angle for DU 650 DIMENSIONS: 55 x 55 mm PACKAGE: Small boxes of 1200 pieces</p>
	<p>SERIES: EXPORT 45 T.T. ARTICLE: DU 651* PACKAGE: Kinks in boxes 120 m</p>

NEW

NEW

ALL.CO

section	product specification
	SERIES: EXPORT 45 T.T. ARTICLE: DU 2020* - Angle for DU 651 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 1080 pieces
	SERIES: EXPORT 50 ARTICLE: DU 660* PACKAGE: Kinks in boxes 150 m
	SERIES: ALL.CO 5 EXPOSURE - ALL.CO 5 T.T. EXPOSURE ARTICLE: C 1305* EL 116* PACKAGE: Rolls in boxes 700 m Rolls in boxes 600 m
	SERIES: ALL.CO 45 T.T. EXPORT ARTICLE: C 1971 PACKAGE: Rolls in boxes 600 m
	SERIES: ALL.CO 5 EXPOSURE ARTICLE: C 1983 PACKAGE: Rolls in boxes 400 m
	SERIES: ALL.CO EXPORT 50 T.T. ARTICLE: DU 601 PACKAGE: Rolls in boxes 50 m
	SERIES: ALL.CO EXPORT 45 T.T. ARTICLE: DU 602 WORKING FIELD: 3 ÷ 4 mm PACKAGE: Rolls in boxes 100 m

ALL.CO

section	product specification
	SERIES: ALL.CO EXPORT 50 T.T. ARTICLE: DU 607 WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 100 m
	SERIES: ALL.CO EXPORT 50 T.T. ARTICLE: DU 606 PACKAGE: Rolls in boxes 50 m
	SERIES: ALL.CO 5 - ALL.CO 5 T.T. COMPLANER ARTICLE: C 1072* PACKAGE: Rolls in boxes 400 m
	SERIES: ALL.CO 5 COMPLANER - ALL.CO 5 T.T. EXPOSURE ARTICLE: DU 320* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 100 m
	SERIES: ALL.CO 5 COMPLANER - ALL.CO 5 T.T. EXPOSURE ARTICLE: DU 355 WORKING FIELD: 2.5 ÷ 3 mm PACKAGE: Rolls in boxes 200 m
	SERIES: ALL.CO 5 COMPLANER - ALL.CO 5 T.T. EXPOSURE ARTICLE: DU 152* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 200 m
	SERIES: ALL.CO 5 COMPLANER - ALL.CO 5 T.T. EXPOSURE ARTICLE: DU 153* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 200 m

ALL.CO


section	product specification
	SERIES: ALL.CO 5 COMPLANER - ALL.CO 5 T.T. EXPOSURE ARTICLE: DU 154* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m
	SERIES: ALL.CO 5 COMPLANER - ALL.CO 5 T.T. EXPOSURE ARTICLE: DU 155* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 150 m
	SERIES: ALL.CO 5 COMPLANER - ALL.CO 5 T.T. EXPOSURE ARTICLE: DU 156* WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 150 m
	SERIES: ALL.CO 5 - ALL.CO 5 T.T. ARTICLE: DU 610* PACKAGE: Rolls in boxes 150 m
	SERIES: ALL.CO 5 ARTICLE: C 1086 PACKAGE: Rolls in boxes 800 m
	SERIES: VERANDA ARTICLE: EUR 73 PACKAGE: Rolls in boxes 600 m

ALL.CO K WOOD

section	product specification
	SERIES: ALL.CO K WOOD ARTICLE: DU 605 PACKAGE: Kinks in boxes 180 m
	SERIES: ALL.CO K WOOD ARTICLE: DU 652* - Glazing gasket WORKING FIELD: 5 ÷ 6 mm PACKAGE: Rolls in boxes 100 m
	SERIES: ALL.CO EXPORT 45 T.T. ARTICLE: DU 602 WORKING FIELD: 3 ÷ 4 mm PACKAGE: Rolls in boxes 100 m
	SERIES: ALL.CO K WOOD ARTICLE: DU 603 PACKAGE: Rolls in boxes 100 m
	SERIES: ALL.CO K WOOD ARTICLE: DU 604 PACKAGE: Rolls in boxes 150 m

ALL.CO WOOD

black and brown

section	product specification		
	SERIES: ALL.CO WOOD ARTICLE: DU 1110* COLOURS: Black and Brown PACKAGE: Kinks in boxes 150 m		
	SERIES: ALL.CO WOOD ARTICLE: DU 2138 - Angle for DU 1110 DIMENSIONS: 40 x 40 mm COLOURS: Black and Brown PACKAGE: Small boxes of 2160 pieces		
	SERIES: ALL.CO WOOD ARTICLE: DU 1106* WORKING FIELD: 5 mm COLOURS: Black and Brown PACKAGE: Rolls in boxes 100 m		
	SERIES: ALL.CO WOOD ARTICLE: DU 1107* COLOURS: Black and Brown PACKAGE: Rolls in boxes 150 m		
	SERIES: ALL.CO WOOD ARTICLE: DU 1108* COLOURS: Black and Brown PACKAGE: Rolls in boxes 100 m		
	SERIES: ALL.CO WOOD ARTICLE: DU 1109* - Gasket for frame COLOURS: Black and Brown PACKAGE: Rolls in boxes 50 m		
	SERIES: ALL.CO WOOD ARTICLE: DU 622* COLOURS: Black and Brown PACKAGE: Rolls in boxes 100 m		

ALL.CO WOOD

black and brown

section	product specification
	SERIES: ALL.CO WOOD ARTICLE: F 1265* - Flexible sound-insulating jointing COLOURS: Black and Brown PACKAGE: Kinks in boxes 150 m

EUROPA

LEGEND**DU** seals in EPDM in conformity with the UNI 9122 regulation**EL** seals in ELAPRENE in conformity with the UNI 9122/A regulation**C** coextruded seals in PVC**F** flexible seals in PVC in conformity with the UNI 9122 regulation**R** rigid profiles in PVC

*in stock


ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	SERIES: FB OPEN JOINT - BOB.2 - PLANA ARTICLE: EUR 31* - in coextruded PVC PACKAGE: Rolls in boxes 800 m
	SERIES: BOB.1 - BOB.2 - BOB.4 - FB OPEN JOINT - K3L - PLANA ARTICLE: EUR 24* - in coextruded PVC EL 1 - in coextruded ELAPRENE PACKAGE: Rolls in boxes 1400 m Rolls in boxes 1400 m
	SERIES: FOLDING DOOR ARTICLE: EUR 73 - in coextruded PVC PACKAGE: Rolls in boxes 600 m
	SERIES: FOLDING DOOR ARTICLE: EUR 29 - in coextruded PVC PACKAGE: Rolls in boxes 600 m
	SERIES: BALKON - BOB.1 - BOB.2 - FB OPEN JOINT - PLANA ARTICLE: EUR 33* - in coextruded PVC PACKAGE: Rolls in boxes 600 m
	SERIES: BALKON - BOB.1 - BOB.2 - FB OPEN JOINT - PLANA ARTICLE: EUR 34* - in coextruded PVC PACKAGE: Rolls in boxes 800 m

EUROPA

section	product specification
	SERIES: BOB.4 ARTICLE: EUR 65 - in flexible PVC PACKAGE: Rolls in boxes 160 m
	SERIES: BOB.2 ARTICLE: EUR 9 - in flexible PVC - Under door gasket PACKAGE: Rolls in boxes 700 m
	SERIES: FB ARTICLE: EUR 48 - in coextruded PVC - Gasket for blinds PACKAGE: Rolls in boxes 1500 m

HYDRO

**C**

- A** glazing gasket
- B** central beating gasket
- C** inside beating gasket
- D** vulcanized angle



HYDRO

LEGEND

- DU** seals in EPDM in conformity with the UNI 9122 regulation
EL seals in ELAPRENE in conformity with the UNI 9122/A regulation
C coextruded seals in PVC
F flexible seals in PVC in conformity with the UNI 9122 regulation
R rigid profiles in PVC

*in stock

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	SERIES: DOMAL STOPPER PG ARTICLE: DU 300* PACKAGE: Kinks in boxes 180 m
	SERIES: DOMAL STOPPER PG ARTICLE: DU 2004* - Angle for DU 300 DIMENSIONS: 65 x 65 mm PACKAGE: Small boxes of 1500 pieces
	SERIES: DOMAL BREAK PA 52 ARTICLE: DU 370* PACKAGE: Kinks in boxes 100 m
	SERIES: DOMAL BREAK ARTICLE: DU 2006* - Angle for DU 370 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 1320 pieces
	SERIES: DOMAL BREAK PA 63 ARTICLE: DU 314 PACKAGE: Kinks in boxes 100 m
	SERIES: DOMAL BREAK BILICO DOORS ARTICLE: EL 26 PACKAGE: Boxes of 96 bars

HYDRO

section	product specification
	SERIES: DOMAL STOPPER PG - DOMAL BREAK ARTICLE: C 956* EL 12* PACKAGE: Rolls in boxes 800 m Rolls in boxes 800 m
	SERIES: DOMAL 40 ARTICLE: C 1364* EL 147 PACKAGE: Rolls in boxes 800 m Rolls in boxes 300 m
	SERIES: DOMAL 40 ARTICLE: DU 335* PACKAGE: Rolls in boxes 400 m
	SERIES: DOMAL 4 - 5 - 7 - 22 - 23 - 30 ARTICLE: C 312* F 182 - in flexible PVC EL 3* PACKAGE: Rolls in boxes 1400 m Rolls in boxes 1400 m Rolls in boxes 1400 m
	SERIES: DOMALGELOSIA ARTICLE: C 1464* EL 145 PACKAGE: Rolls in boxes 1200 m Rolls in boxes 1200 m
	SERIES: DOMAL GRID ARTICLE: DU 325 PACKAGE: Rolls in boxes 300 m
	SERIES: DOMAL STOPPER PG ARTICLE: DU 380 PACKAGE: Rolls in boxes 150 m

HYDRO

section	product specification
	SERIES: DOMAL SHUTTER ARTICLE: DU 390 PACKAGE: Rolls in boxes 400 m
	SERIES: DOMAL BREAK ARTICLE: DU 301 PACKAGE: Rolls in boxes 300 m
	SERIES: DOMAL DOORS - DOMAL STOPPER PG - DOMAL BREAK ARTICLE: DU 310 PACKAGE: Rolls in boxes 100 m
	SERIES: DOMAL STOPPER PG - DOMAL BREAK ARTICLE: EL 27* PACKAGE: Rolls in boxes 400 m
	SERIES: DOMAL STOPPER PG - DOMAL BREAK ARTICLE: DU 330* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m
	SERIES: DOMAL STOPPER PG - DOMAL BREAK ARTICLE: DU 350* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 200 m
	SERIES: DOMAL 4 - 5 ARTICLE: C 706* PACKAGE: Rolls in boxes 350 m


HYDRO

section	product specification
	SERIES: DOMAL 4 - 5 ARTICLE: C 707* PACKAGE: Rolls in boxes 500 m
	SERIES: DOMAL 4 - 5 ARTICLE: C 304 PACKAGE: Rolls in boxes 600 m
	SERIES: DOMAL 4 - 5 ARTICLE: C 305 PACKAGE: Rolls in boxes 800 m
	SERIES: DOMAL STOPPER PG - DOMAL BREAK ARTICLE: DU 360 PACKAGE: Rolls in boxes 150 m
	SERIES: DOMAL STOPPER PG - DOMAL BREAK 11 ARTICLE: C 594* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 400 m
	SERIES: DOMAL 4-5 - DOMAL STOPPER PG - DOMAL BREAK ARTICLE: F 804* PACKAGE: Rolls in boxes 700 m
	SERIES: DOMAL 7 ARTICLE: C 907 PACKAGE: Rolls in boxes 350 m

HYDRO

section	product specification
	SERIES: DOMALGELOSIA ARTICLE: C 1249* ARTICLE: EL 144 PACKAGE: Rolls in boxes 800 m Rolls in boxes 200 m
	SERIES: DOMAL SLIDE - DOMAL BREAK PA 70 ARTICLE: DU 385 PACKAGE: Rolls in boxes 100 m
	SERIES: DOMAL STOPPER - DOMAL BREAK ARTICLE: DU 121* PACKAGE: Rolls in boxes 400 m
	SERIES: DOMAL STOPPER - DOMAL BREAK ARTICLE: DU 313 PACKAGE: Rolls in boxes 600 m

METRA



- A** glazing gasket
- B** central beating gasket
- C** inside beating gasket



METRA

LEGEND

- DU** seals in EPDM in conformity with the UNI 9122 regulation
EL seals in ELAPRENE in conformity with the UNI 9122/A regulation
C coextruded seals in PVC
F flexible seals in PVC in conformity with the UNI 9122 regulation
R rigid profiles in PVC

*in stock

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	SERIES: NC 45 INT. - NC 55 INT. ARTICLE: DU 110* PACKAGE: Kinks in boxes 150 m
	SERIES: NC 45 INT. ARTICLE: DU 2007* - Angle for DU 110 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 2160 pieces
	SERIES: NC 68 S.THERMIC ARTICLE: DU 165* PACKAGE: Kinks in boxes 100 m
	SERIES: NC 45 S.THERMIC ARTICLE: DU 190* PACKAGE: Kinks in boxes 150 m
	SERIES: NC 45 S.THERMIC ARTICLE: DU 2063* - Angle for DU 190 DIMENSIONS: 40 x 40 mm PACKAGE: Small boxes of 1800 pieces
	SERIES: NC 40 ARTICLE: C 649* PACKAGE: Rolls in boxes 1200 m

METRA

section	product specification	
	SERIES: NC 40 L ARTICLE: C 631 PACKAGE: Rolls in boxes 1000 m	
	SERIES: NC 40 ARTICLE: C 381* PACKAGE: Rolls in boxes 1400 m	
	SERIES: NEW NC 40 ARTICLE: DU 105* PACKAGE: Rolls in boxes 200 m	
	SERIES: NEW NC 40 ARTICLE: C 1716 PACKAGE: Rolls in boxes 400 m	EL 224 Rolls in boxes 400 m
	SERIES: NEW NC 40 ARTICLE: C 2173 PACKAGE: Rolls in boxes 500 m	EL 283* Rolls in boxes 500 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: DU 125* - Sealing weather-strip PACKAGE: Rolls in boxes 300 m	
	SERIES: NC 35 FLAT - NC 45 INT. - NC 55 INT. ARTICLE: DU 121* - Inside beating gasket PACKAGE: Rolls in boxes 400 m	

METRA

section	product specification
	SERIES: NC 35 FLAT - NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: C 781* PACKAGE: Rolls in boxes 700 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC - NC 70 INT. - NC 90 INT. ARTICLE: C 636 - Gasket for wall PACKAGE: Rolls in boxes 700 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC - BALCONIES ARTICLE: DU 140* WORKING FIELD: 3 ÷ 4 mm PACKAGE: Rolls in boxes 150 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC - BALCONIES ARTICLE: DU 130* WORKING FIELD: 2 ÷ 2.5 mm PACKAGE: Rolls in boxes 200 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: DU 152* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 200 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: DU 153* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 200 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: DU 154* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m

METRA

section	product specification
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: DU 155* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 150 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: DU 156* WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 150 m
	SERIES: NC 40 ARTICLE: C 1088 - for glass of 5 mm PACKAGE: Rolls in boxes 400 m
	SERIES: NC 40 ARTICLE: C 1089 - for glass of 4 mm PACKAGE: Rolls in boxes 500 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: DU 175* WORKING FIELD: 2 ÷ 3 mm PACKAGE: Rolls in boxes 200 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: DU 176* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m
	SERIES: CURTAIN WALLING ARTICLE: DU 145 WORKING FIELD: 4 ÷ 5 mm PACKAGE: Rolls in boxes 200 m

METRA

section	product specification
	SERIES: CURTAIN WALLING ARTICLE: DU 146 WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 100 m
	SERIES: NC 45 INT. - NC 55 INT. - NC 45 S.THERMIC ARTICLE: F 804* - Gasket for supplementary threshold profile PACKAGE: Rolls in boxes 700 m

NEW-TEC Series



- A** glazing gasket
- B** central beating gasket
- C** inside beating gasket

NEW-TEC Series

LEGEND

DU seals in EPDM in conformity with the UNI 9122 regulation

EL seals in ELAPRENE in conformity with the UNI 9122/A regulation

C coextruded seals in PVC

F flexible seals in PVC in conformity with the UNI 9122 regulation


R rigid profiles in PVC

*in stock

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	SERIES: NEW TEC ARTICLE: DU 1069* PACKAGE: Rolls in boxes 75 m
	SERIES: NEW TEC ARTICLE: DU 2010* - Angle for DU 1069 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 1500 pieces
	SERIES: NEW TEC ARTICLE: C 825* PACKAGE: Rolls in boxes 600 m EL 10* Rolls in boxes 600 m
	SERIES: NEW TEC ARTICLE: DU 210* PACKAGE: Rolls in boxes 300 m
	SERIES: NEW TEC ARTICLE: DU 230* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 150 m
	SERIES: NEW TEC ARTICLE: DU 152* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 200 m

NEW-TEC Series

section	product specification
	SERIES: NEW TEC ARTICLE: DU 153* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 200 m
	SERIES: NEW TEC ARTICLE: DU 154* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m
	SERIES: NEW TEC ARTICLE: DU 155* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 150 m
	SERIES: NEW TEC ARTICLE: DU 156* WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 150 m
	SERIES: NEW TEC ARTICLE: DU 2100* - Right and left cap of beating gasket reverse PACKAGE: Boxes of 150 couples


PASSERINI



- A** glazing gasket
- B** central beating gasket
- C** inside beating gasket

PASSERINI


LEGEND**DU** seals in EPDM in conformity with the UNI 9122 regulation**EL** seals in ELAPRENE in conformity with the UNI 9122/A regulation**C** coextruded seals in PVC**F** flexible seals in PVC in conformity with the UNI 9122 regulation**R** rigid profiles in PVC***in stock****ATTENTION:** according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	SERIES: EKIP 40 ARTICLE: DU 400* PACKAGE: Kinks in boxes 180 m
	SERIES: EKIP 50 ARTICLE: DU 410 PACKAGE: Rolls in boxes 100 m
	SERIES: MAASTRICHT ARTICLE: DU 440* PACKAGE: Kinks in boxes 90 m
	SERIES: MAASTRICHT ARTICLE: DU 2019* - Angle for DU 440 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 1104 pieces
	SERIES: EKIP 40 - 50 ARTICLE: DU 420 - Dust seal jointings PACKAGE: Rolls in boxes 200 m
	SERIES: EKIP 40 - 50 ARTICLE: C 1130* - Dust seal jointings PACKAGE: Rolls in boxes 1000 m

PASSERINI

section	product specification
	SERIES: MAASTRICHT ARTICLE: DU 121* PACKAGE: Rolls in boxes 400 m
	SERIES: EKIP 40 ARTICLE: C 1132* PACKAGE: Rolls in boxes 600 m
	SERIES: EKIP 40 - 50 ARTICLE: C 1133* - Gasket for frame PACKAGE: Rolls in boxes 600 m
	SERIES: EKIP 40 - 50 ARTICLE: DU 1247 PACKAGE: Rolls in boxes 300 m
	SERIES: EKIP 40 - 50 ARTICLE: C 1131* PACKAGE: Rolls in boxes 500 m
	SERIES: EKIP 40 - 50 ARTICLE: DU 1248 WORKING FIELD: 2.5 mm PACKAGE: Rolls in boxes 200 m
	SERIES: ALL ARTICLE: EL 15* WORKING FIELD: 1 mm PACKAGE: Rolls in boxes 200 m


PROFILATI

**C**

- A** glazing gasket
- B** central beating gasket
- C** inside beating gasket
- D** vulcanized angle

PROFILATI

LEGEND**DU** seals in EPDM in conformity with the UNI 9122 regulation**EL** seals in ELAPRENE in conformity with the UNI 9122/A regulation**C** coextruded seals in PVC**F** flexible seals in PVC in conformity with the UNI 9122 regulation**R** rigid profiles in PVC***in stock****ATTENTION:** according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	SERIES: EKU 53 - EKU 53 T.T. ARTICLE: DU 430* PACKAGE: Kinks in boxes 180 m
	SERIES: EKU 53 - EKU 53 T.T. ARTICLE: DU 2013* - Angle for DU 430 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 1800 pieces
	SERIES: EKU 64 T.T. ARTICLE: DU 900* PACKAGE: Kinks in boxes 120 m
	SERIES: EKU 64 T.T. ARTICLE: DU 2015* - Angle for DU 900 DIMENSIONS: 50 x 50 mm PACKAGE: Small boxes of 1200 pieces
	SERIES: EKU 72 T.T. ARTICLE: DU 901 PACKAGE: Rolls in boxes 90 m
	SERIES: SYSTEM 1 COMPLANER AND EXPOSURE ARTICLE: DU 1082 PACKAGE: Kinks in boxes 150 m

NEW

PROFILATI

section	product specification
	SERIES: SYSTEM 1 COMPLANER AND EXPOSURE ARTICLE: C 1434* EL 143* PACKAGE: Rolls in boxes 250 m Rolls in boxes 250 m
	SERIES: EKU 53 - EKU 53 T.T. - EKU 64 T.T. - EKU 72 T.T. ARTICLE: C 956* EL 12* PACKAGE: Rolls in boxes 800 m Rolls in boxes 800 m
	SERIES: EKU 53 - EKU 53 T.T. - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 121* PACKAGE: Rolls in boxes 400 m
	SERIES: EKU 53 - EKU 53 T.T. - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 350* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 200 m
	SERIES: EKU 53 - EKU 53 T.T. - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 330* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m
	SERIES: EKU 53 - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 13* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 400 m
	SERIES: EKU 53 - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 15* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 200 m

PROFILATI

section	product specification
	SERIES: EKU 53 - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 17* WORKING FIELD: 7 mm PACKAGE: Rolls in boxes 120 m
	SERIES: SYSTEM 1 - EKU 53 - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 152* WORKING FIELD: 2 mm PACKAGE: Rolls in boxes 200 m
	SERIES: SYSTEM 1 - EKU 53 - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 153* WORKING FIELD: 3 mm PACKAGE: Rolls in boxes 200 m
	SERIES: SYSTEM 1 - EKU 53 - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 154* WORKING FIELD: 4 mm PACKAGE: Rolls in boxes 200 m
	SERIES: SYSTEM 1 - EKU 53 - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 155* WORKING FIELD: 5 mm PACKAGE: Rolls in boxes 150 m
	SERIES: SYSTEM 1 - EKU 53 - EKU 64 T.T. - EKU 72 T.T. ARTICLE: DU 156* WORKING FIELD: 6 mm PACKAGE: Rolls in boxes 150 m
	ARTICLE: DU 1458 - Seal for aluminium door PACKAGE: Rolls in boxes 50 m



NEW

POLYAMIDE STRIPS FOR CREMONE

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

LEGEND**N** polyamide strips with fibreglass

*in stock







section	product specification
	ARTICLE: N 2014* - Strip for cremone for standard size frame PACKAGE: Rolls in boxes 250 m - Rolls in boxes 150 m - Boxes of 100 bars of 3000 mm
	SERIES: Alcoa R 40 ARTICLE: N 2015* PACKAGE: Rolls in boxes 200 m - Boxes of 100 bars of 3000 mm

POLYAMIDE STRIPS for thermal break


ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

LEGEND**N** polyamide strips with fibreglass

*in stock

section	product specification	
	ARTICLE: N 2002 PACKAGE: Bundles of 100 bars	
	ARTICLE: N 2008 PACKAGE: Bundles of 100 bars	
	ARTICLE: N 2009 PACKAGE: Bundles of 100 bars	
	ARTICLE: N 2010 PACKAGE: Bundles of 50 bars	
	ARTICLE: N 2011 PACKAGE: Bundles of 50 bars	
	ARTICLE: N 2012 - with glue PACKAGE: Bundles of 50 bars	

POLYAMIDE STRIPS for thermal break




section	product specification
	ARTICLE: N 2013 - with glue PACKAGE: Bundles of 100 bars

LEGEND**DU** seals in EPDM in conformity with the UNI 9122 regulation**C** coextruded seals in PVC

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

*in stock

GASKETS FOR PROFILES IN IRON AND STEEL

section	product specification	
	ARTICLE: PACKAGE:	C 1323 - with biadhesive Boxes of 175 bars of 2500 mm
	ARTICLE: PACKAGE:	C 1405* - with biadhesive Boxes of 180 bars of 2500 mm
	ARTICLE: PACKAGE:	C 2076 - with biadhesive Boxes of 180 bars

NEW**GASKETS OF PROTECTION FOR EASELS**

section	product specification	
	ARTICLE: PACKAGE:	DU 1277* Kinks in boxes 80 m

UNIVERSAL SUPPORT-GASKET FOR EXTERNAL GLASS

section	product specification	
	ARTICLE: PACKAGE:	DU 1077 Rolls in boxes 800 m

RIGID PIPES

section	product specification
	ARTICLE: R 2149* PACKAGE: Boxes of 100 bars of 3000 mm 
	ARTICLE: R 2205* PACKAGE: Boxes of 100 bars of 3000 mm 

CYANOACRYLATE ADHESIVE

section	product specification
	ARTICLE: CYANOACRYLATE ADHESIVE* PACKAGE: 10 bottles of 20 gr

JOINTING FOR SHUTTERS

LEGEND

- DU** seals in EPDM in conformity with the UNI 9122 regulation
EL seals in ELAPRENE in conformity with the UNI 9122/A regulation
C coextruded seals in PVC
F flexible seals in PVC in conformity with the UNI 9122 regulation
R rigid profiles in PVC



***in stock**

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
	SERIES: NACO ARTICLE: C 1394* - Gasket for thin plate PACKAGE: Rolls in boxes 800 m
	ARTICLE: C 1294 - Gasket for thin plate PACKAGE: Rolls in boxes 1500 m
	SERIES: FLASH ARTICLE: C 1352 - Gasket for thin plate PACKAGE: Rolls in boxes 150 m
	SERIES: MIXER ARTICLE: C 1349 - Gasket for thin plate PACKAGE: Rolls in boxes 250 m
	SERIES: ERMES ARTICLE: C 1387 - Gasket for thin plate PACKAGE: Rolls in boxes 800 m
	SERIES: UNIVERSAL 55 - PERLA 70 ARTICLE: EL 153* C 1779* PACKAGE: Rolls in boxes 1200 m Rolls in boxes 1200 m

NEW

PROFILES FOR CURTAIN WALLS

section	product specification
	SERIES: CURTAIN WALL ARTICLE: C 1564 - Cable trunking skirting board profile PACKAGE: Boxes of 17 bars
	SERIES: CURTAIN WALL ARTICLE: TSC 1564 D - Right cap for C 1564 PACKAGE: Bags of 500 pieces
	SERIES: CURTAIN WALL ARTICLE: TSC 1564 S - Left cap for C 1564 PACKAGE: Bags of 500 pieces

DUST SEAL BRUSHES FOR SLIDING WINDOWS AND MOSQUITO NETS

LEGEND






DIMENSIONS: b = base

h = pile height

SEAL PILE: brush

SEAL FILM: brush with central separator

ATTENTION: according to standardization of packages, the size and the meter quantity may be subject to change.

section	product specification
 <p>BRUSH (SEAL PILE)</p>	ARTICLE: SPASP 4.8X5 3P SEAL PILE DIMENSIONS: b 4.8 mm - h 5 mm COLOURS: Black PACKAGE: Boxes of 1800 m (4 rolls of 450 m)
 <p>BRUSH (SEAL PILE)</p>	ARTICLE: SPASP 4.8X7 3P SEAL PILE DIMENSIONS: b 4.8 mm - h 7 mm COLOURS: Black PACKAGE: Boxes of 1300 m (4 rolls of 325 m)
<p>WITH CENTRAL SEPARATOR (SEAL FILM)</p>	ARTICLE: SPASP 4.8X8 3P SEAL PILE DIMENSIONS: b 4.8 mm - h 8 mm COLOURS: Black PACKAGE: Boxes of 1100 m (4 rolls of 275 m)
 <p>ARTICLE: SPASP 4.8X11 3P SEAL PILE DIMENSIONS: b 4.8 mm - h 11 mm COLOURS: Black PACKAGE: Boxes of 600 m (3 rolls of 200 m) </p>	
 <p>ARTICLE: SPASP 6.9X5 3P SEAL PILE DIMENSIONS: b 6.9 mm - h 5 mm COLOURS: Black PACKAGE: Boxes of 1500 m (4 rolls of 375 m) </p>	
 <p>ARTICLE: SPASP 6.9X5.5 3P SEAL PILE DIMENSIONS: b 6.9 mm - h 5.5 mm COLOURS: Black PACKAGE: Boxes of 1300 m (4 rolls of 325 m) </p>	
 <p>ARTICLE: SPASF 4.8X5.5 2P SEAL FILM DIMENSIONS: b 4.8 mm - h 5.5 mm COLOURS: Black PACKAGE: Boxes of 700 m (7 rolls of 100 m) </p>	
	ARTICLE: SPASF 6.9X5.5 4P SEAL FILM DIMENSIONS: b 6.9 mm - h 5.5 mm COLOURS: Black PACKAGE: Boxes of 700 m (7 rolls of 100 m)



ΒΜΡ Πλαστικά Ελλάδος Α.Ε.
Βιομηχανία Παραγωγής
Ελαστικών Παρεμβυσμάτων
ΒΙ.ΠΕ. Σερρών
Σέρρες
Τ.Κ. 621 10
Τ.Θ. 1146
Ελλάδα
Τηλ. +30 23210 77 0 88
FAX:+30 23210 77 0 89